

**preventing mosquitoes from accessing egg-laying habitats by environmental management and modification;**

藉由環境管理及改變，以蚊子產卵的棲息地作為通道來防治蚊子

**disposing of solid waste properly and removing artificial man-made habitats;**

適當地處置固體廢棄物並消除經由人類行為所產生的棲息地

**covering, emptying and cleaning of domestic water storage containers on a weekly basis;**

在家庭用水的儲存容器加蓋、清空並清潔，至少以每週為單位進行

**applying appropriate insecticides to water storage outdoor containers;**

針對戶外的儲水容器適度使用殺蟲劑

**using of personal household protection such as window screens, long-sleeved clothes, insecticide treated materials, coils and vaporizers;**

使用個人家庭防護裝備，如紗窗、長袖衣物、殺蟲劑、蚊香及水煙式殺蟲劑

**improving community participation and mobilization for sustained vector control;**

改善社區對於持續性傳染媒介控制的參與及動員

**applying insecticides as space spraying during outbreaks as one of the emergency vector-control measures;**

空間噴灑殺蟲劑視為疫情爆發時 傳染媒介控制的緊急措施

**active monitoring and surveillance of vectors should be carried out to determine effectiveness of control interventions.**

應落實活動監督及傳染媒介監測以確認控制介入的有效性

網址：<http://www.who.int/mediacentre/factsheets/fs117/en/>